Event Details

PeopleSoft Strategic Sourcing

1 copicoon on ategio ocaronig									
Event ID	Format	Type	Page						
32701-0000010455	Sell	RFx	1						
Event Round	Version								
1	1								
Event Name									
CedarsOfLebanon-Ca	mpgroundFuri	nishings							
Start Time		Finish Time							
03/13/2018 10:29:1	1 CDT	03/27/2018 14:00:00 CDT							

Event Currency: US Dollar **Bids allowed in other currency:** No

Bidder: PUBLIC EVENT DETAILS

Submit To: Environment & Consv

Call for Shipping Information

United States

Contact: Shane Gibson 615/253-4762

Email: Shane.Gibson@tn.gov

Event Description

This event is to bid for a one-time purchase for TN Department of Environment & Conservation.

Specifications and terms & conditions are attached.

Agency Contact: Shane Gibson at 615-253-4762 and Shane.Gibson@TN.gov.

READ THE ENTIRE BID, including the Event Details, Specifications, and Terms and Conditions and any other attachments.

If the Review and bid on this event link included in the e-mail notification does not work, please go to

http://www.tn.gov/generalservices/topic/vendor-information. Click on the link that says Bid Opportunities and log in with your vendor ID and password.

NOTE: Need help with EDISON? Call the Edison HELP Desk at 866-376-0104 or 615-741-4357

Please do not wait until the last day to POST YOUR BID. The Edison system will sign you out after 30 minutes of inactivity. Your password expires EVERY 90 DAYS. It is the responsibility of the Edison User (bidder/vendor) to maintain their own profile information (Email address, phone numbers, address or contacts) and to continue to keep

it current by logging into the Supplier Portal and making changes as needed.

Supplier Portal link: (Maintain supplier information) https://www.tn.gov/generalservices/article/invitations-to-bid-itb. https://sso.edison.tn.gov/psp/paprd/SUPPLIER/SUPP/h/?tab=PAPP_GUEST

Central Procurement Office Website:

http://www.tn.gov/generalservices/section/central-procurement-office

The website is constantly being updated with information to assist the agencies and vendors; you are encouraged to visit the website frequently.

General Comments

Bid price should be a delivered price.
 Furnish and deliver to Cedars of Lebanon State Park, 328 Cedar Forrest Road, Lebanon, TN 37090.

General Questions

UOM	Best	Worst	Response
	Yes		
	UOM		

Required: Yes Mandatory Response:Yes

PeopleSoft Strategic Sourcing

i copiocon chatogic coaronig									
Event ID	Format	Туре	Page						
32701-0000010455	Sell	RFx	2						
Event Round	Version								
1	1								
Event Name									
CedarsOfLebanon-Ca	mpgroundFur:	nishings							
Start Time		Finish Time							
03/13/2018 10:29:1	1 CDT	03/27/2018 14:00:00 CD	г						

Event Currency: US **Bids allowed in other currency:** No **US** Dollar

PUBLIC EVENT DETAILS Bidder:

Submit To:

Environment & Consv Call for Shipping Information United States

Contact: Phone:

Shane Gibson 615/253-4762 Shane.Gibson@tn.gov Email:

kesponse ι	comments						
-							
_	<u>esponse (</u>	esponse Comments					

PeopleSoft Strategic Sourcing

i copicoon on a	icgic ocu	ionig	
Event ID	Format	Туре	Page
32701-0000010455	Sell	RFx	3
Event Round	Version		
1	1		
Event Name			
CedarsOfLebanon-Ca	mpgroundFur	nishings	
Start Time		Finish Time	
03/13/2018 10:29:1	1 CDT	03/27/2018 14:00:00 0	חידי

Event Currency: US Dollar Bids allowed in other currency: No

Bidder: PUBLIC EVENT DETAILS

Submit To: Environment & Consv

Call for Shipping Information

United States

Contact: Shane Gibson 615/253-4762

Email: Shane.Gibson@tn.gov

Line Details

Line: 1 Item ID: Line Qty: 8.00 UOM: Each Bid Qty: 8
Required: Yes Reserve Price: No

Description: 6' Park Bench With Back

Comments:

 - <<Park Benches feature frames and planks molded from 100% recycled plastic, a combination of post-consumer and post-industrial plastics.

Frames are made of 100% recycled plastic molded with solid brown color.

Seat and back planks are made of 100% recycled plastic with solid cedar color.

Frames (with backrest) are 3" thick single piece solid molded plastic.

Bench seat and back planks to be 2" x 6" (nom), of solid molded 100% recycled plastic. Includes stainless steel screws for assembly.

Anchor brackets are to be included to attach to surface for permanent installation.

Park Benches feature frames and planks molded from 100% recycled plastic, a combination of post-consumer and post-industrial plastics.

Frames are made of 100% recycled plastic molded with solid brown color.

Seat and back planks are made of 100% recycled plastic with solid cedar color.

Frames (with backrest) are 3" thick single piece solid molded plastic.

Bench seat and back planks to be 2" x 6" (nom), of solid molded 100% recycled plastic. Includes stainless steel screws for assembly.

Anchor brackets are to be included to attach to surface for permanent installation.

Pilot Rock Model # RBB::-RBBB-Brown (PW)-6P* Cedar (PC)-26 or Equal>><< Park Benches feature frames and planks molded from 100% recycled plastic, a combination of post-consumer and post-industrial plastics.

Frames are made of 100% recycled plastic molded with solid brown color.

Seat and back planks are made of 100% recycled plastic with solid cedar color.

Frames (with backrest) are 3" thick single piece solid molded plastic.

Bench seat and back planks to be $2" \times 6"$ (nom), of solid molded 100% recycled plastic. Includes stainless steel screws for assembly.

Anchor brackets are to be included to attach to surface for permanent installation.

Park Benches feature frames and planks molded from 100% recycled plastic, a combination of post-consumer and post-industrial plastics.

Frames are made of 100% recycled plastic molded with solid brown color.

Seat and back planks are made of 100% recycled plastic with solid cedar color.

Frames (with backrest) are 3" thick single piece solid molded plastic.

PeopleSoft Strategic Sourcing

Event Currency: US Dollar Bids allowed in other currency: No

Bidder: PUBLIC EVENT DETAILS

Submit To: Environment & Consv

Call for Shipping Information

United States

Contact: Shane Gibson 615/253-4762

Email: Shane.Gibson@tn.gov

Bench seat and back planks to be 2" x 6" (nom), of solid molded 100% recycled plastic. Includes stainless steel screws for assembly.

Anchor brackets are to be included to attach to surface for permanent installation.

Pilot Rock Model # RBB::-RBB-Brown (PW)-6P* Cedar (PC)-26 or Equal

Question		UOM	Best	Worst	Response
What is the unit price of this i	item?				-
Required: Yes Manda	tory Response: No				
Response Comments					

Line: 2 Item ID: Line Qty: 67.00 UOM: Each Bid Qty: 67

Required: Yes Reserve Price: No

Description: Stainless Steel Charcoal Grill

Comments:

 - <<Stainless steel grill is designed for areas where the natural environment is especially corrosive to (carbon) steel.

Charcoal grills are permanently attached to the base post with our unique swivel mechanism providing a theft-proof connection with continuous 360-degree rotation in either direction. Embedded installation of post is standard. Grill is mounted on a 2-3/8" OD x 40" long stainless steel post for embedded installation.

All-welded grill firebox construction. Grill uses 304 grade 3/16" stainless steel for the bottom and 1/8" thick 304 stainless steel for the sides of the firebox. Grill includes integral die-formed flanges to retain ashes and to reinforce the firebox from heat warpage.

All welded cooking grate construction. Grill cooking grates are fabricated using 5/8" dia. steel bars for support handles, and 1/2" dia. steel bars for the cooking surface. The cooking grate is permanently incorporated into the firebox and cannot be removed. All cooking grates are finished with high temp non-toxic black enamel paint. All grate handle grips are 1/8" x 1/2" coiled steel bar. All grate bars are welded on both sides.

Grill shall include a " x 20" Stainless, bolt on utility shelf.

Pilot Rock Model NS-20::NS-20-S3S-B6S or Equal>><<Stainless steel grill is designed for areas where the natural environment is especially corrosive to (carbon) steel.

Charcoal grills are permanently attached to the base post with our unique swivel mechanism providing a theft-proof connection with continuous 360-degree rotation in either direction. Embedded installation of post is standard. Grill is mounted on a 2-3/8" OD x 40" long stainless steel post for embedded installation.

All-welded grill firebox construction. Grill uses 304 grade 3/16" stainless steel for the bottom and 1/8" thick 304 stainless steel for the sides of the firebox. Grill includes integral die-formed flanges to retain ashes and to reinforce the firebox from heat warpage.

PeopleSoft Strategic Sourcing

reopiesoni sirai	egic Sou	ircing	
Event ID	Format	Type	Page
32701-0000010455	Sell	RFx	5
Event Round	Version		
1	1		
Event Name			
CedarsOfLebanon-Car	mpgroundFur	rnishings	
Start Time		Finish Time	
03/13/2018 10:29:1	1 CDT	03/27/2018 14:00:00 CD	P

Event Currency: US Dollar Bids allowed in other currency: No

Bidder: PUBLIC EVENT DETAILS

Submit To: Environment & Consv

Call for Shipping Information

United States

Contact: Shane Gibson 615/253-4762

Email: Shane.Gibson@tn.gov

All welded cooking grate construction. Grill cooking grates are fabricated using 5/8" dia. steel bars for support handles, and 1/2" dia. steel bars for the cooking surface. The cooking grate is permanently incorporated into the firebox and cannot be removed. All cooking grates are finished with high temp non-toxic black enamel paint. All grate handle grips are 1/8" x 1/2" coiled steel bar. All grate bars are welded on both sides.

Grill shall include a " x 20" Stainless, bolt on utility shelf.

Pilot Rock Model NS-20::NS-20-S3S-B6S or Equal

Question	UOM	Best	Worst	Response
What is the unit price of this item?				
Required: Yes Mandatory Response: No				
Response Comments				
Response Comments				

Line: 3 Item ID: Line Qty: 4.00 UOM: Each Bid Qty: 4
Required: Yes Reserve Price: No

Description: Accessible Stainless Steel Campfire Rings

Comments:

 - <<Campfire Ring is rolled using 11 ga. (1/8¿ thick) stainless steel with a 1¿ roll formed top flange for additional strength and safety. Draft holes are provided for ventilation. The ring is not painted.

Standard: 300 sq. inch single level swivel cooking grate, will move 180 degrees ¿ from over the fire to completely out of the firering ¿ for easy fire building and serving. The handle is never over the fire. Some installation required.

This swivel grate meets the ADA guidelines for reach and operability: one hand operation requiring less than 5 lbs. of force to move.

Swivel cooking grate is a single welded component using ½-inch dia. black steel bars, mounted on a 2-3/8-inch OD steel tube allowing it to swivel 180 degrees. Operator handle includes a 1/8-in. x ½-in. flat bar coiled spring grip. All grate bars are welded on both sides. Cooking grate components are finished with high temp non toxic black enamel paint.

Campfire ring is to include a bolt on utility shelf in black steel.

Stainless steel campfire ring side height shall be 23-1/4"

Three black steel bolt on spade anchors (AL) to secure ring on site, buried in ground (ring does not tip up) shall be included with the campfire rings.

Pilot Rock Model FSWS-30/24/AL/S or Equal>><<Campfire Ring is rolled using 11 ga. (1/8¿ thick) stainless steel with a 1¿ roll formed top flange for additional strength and safety. Draft holes are provided for ventilation. The ring is not painted.

Standard: 300 sq. inch single level swivel cooking grate, will move 180 degrees ¿ from over the fire to completely out of the firering ¿ for easy fire building and serving. The handle is never over the fire. Some installation required.

PeopleSoft Strategic Sourcing

reopieson strategic sourcing									
Event ID	Format	Туре	Page						
32701-0000010455	Sell	RFx	6						
Event Round	Version								
1	1								
Event Name									
CedarsOfLebanon-Car	mpgroundFurr	nishings							
Start Time		Finish Time							
03/13/2018 10:29:13	1 CDT	03/27/2018 14:00:00 CDT							

Event Currency: US Dollar Bids allowed in other currency: No

Bidder: PUBLIC EVENT DETAILS

Submit To: Environment & Consv

Call for Shipping Information

United States

Contact: Shane Gibson 615/253-4762

Email: Shane.Gibson@tn.gov

This swivel grate meets the ADA guidelines for reach and operability: one hand operation requiring less than 5 lbs. of force to move.

Swivel cooking grate is a single welded component using ½-inch dia. black steel bars, mounted on a 2-3/8-inch OD steel tube allowing it to swivel 180 degrees. Operator handle includes a 1/8-in. x ½-in. flat bar coiled spring grip. All grate bars are welded on both sides. Cooking grate components are finished with high temp non toxic black enamel paint.

Campfire ring is to include a bolt on utility shelf in black steel.

Stainless steel campfire ring side height shall be 23-1/4"

Three black steel bolt on spade anchors (AL) to secure ring on site, buried in ground (ring does not tip up) shall be included with the campfire rings.

Pilot Rock Model FSWS-30/24/AL/S or Equal

Question		UOM	Best	Worst	Response
What is the unit price	e of this item?				
Required: Yes	Mandatory Response: No				
Response Comme	nts				

Line: 4 Item ID: Line Qty: 30.00 UOM: Each Bid Qty: 30 Required: Yes Reserve Price: No

Description: LANTERN HOLDER WITH 90 DEGREE ARM, POWDER COATED, BROWN, WITH WELDED-ON ACESSIBLE ARM Comments:

- << Lantern Holder features a 90-degree bend and hangs one lantern. Hook is 76" high.

Fabricated using 2-3/8" OD steel pipe. The Lantern Holder is installed in a concrete footing to provide a strong, vandal resistant support. The lantern hook is fabricated from 1/2" dia. steel bar. Lantern Holders feature single piece, welded construction

Powder coat finish in brown.

Wheelchair Accessible Lantern Arm is an additional lantern arm and hook welded onto the Lantern Pole. This lower position accommodates persons in wheelchairs.>><<Lantern Holder features a 90-degree bend and hangs one lantern. Hook is 76" high.

Fabricated using 2-3/8" OD steel pipe. The Lantern Holder is installed in a concrete footing to provide a strong, vandal resistant support. The lantern hook is fabricated from 1/2" dia. steel bar. Lantern Holders feature single piece, welded construction

Powder coat finish in brown.

Wheelchair Accessible Lantern Arm is an additional lantern arm and hook welded onto the Lantern Pole. This lower position accommodates persons in wheelchairs

Pilot Rock Model LH-/C*Brown (W)-1/A or equal

/ent ID	Format	Туре	Page	•	Bidder:	PUBLIC EVENT DETAILS	
2701-0000010 /ent Round	455 Sell Version	RFx	-		Submit To:	Environment & Consv	
	1					Call for Shipping Information	
/ent Name dars∩ft.eban	on-CampgroundFu	rnighings			Contact:	United States Shane Gibson	
art Time		Finish Time			Phone:	615/253-4762	
3/13/2018 10	:29:11 CDT	03/27/2018 14:00:	00 CDT		Email:	Shane.Gibson@tn.gov	
vent Currenc ids allowed ii	y: n other currency:	US Dollar No					
Question What is the	unit price of this item	?	UOM	Best	w	orst	Response
what is the	unit price of this item	:					
	Commonte						
Response	Comments						
Line: 5 It	em ID: s Reserve Price:		.00 UOM : Ea	ach		Bid Qty:	67
Line: 5 It Required: Yes Description:	em ID: s Reserve Price:	_	.00 UOM : Ea	ach		Bid Qty:	67
Line: 5 It Required: Yes Description: Comments:	em ID: s Reserve Price: Recycled Plastic 8 ft - < <picnic f<="" tables="" td=""><td>No . Picnic Table - Brown eature non-tip, non-trip,</td><td>walk through</td><td>design.</td><td></td><td></td><td>: 67</td></picnic>	No . Picnic Table - Brown eature non-tip, non-trip,	walk through	design.			: 67
Line: 5 It Required: Yes Description: Comments:	em ID: s Reserve Price: Recycled Plastic 8 ft - < <picnic f="" on="" persons="" sit="" tables="" td="" to="" turf.<=""><td>No . Picnic Table - Brown eature non-tip, non-trip,</td><td>walk through gh access. ¿S</td><td>design. Skid¿ de</td><td>esign permits</td><td>on¿t tip even if all</td><td>: 67</td></picnic>	No . Picnic Table - Brown eature non-tip, non-trip,	walk through gh access. ¿S	design. Skid¿ de	esign permits	on¿t tip even if all	: 67
Line: 5 It Required: Yes Description: Comments:	em ID: s Reserve Price: Recycled Plastic 8 ft < Picnic Tables f persons sit on on to turf. Picnic Tables offe FRAME: All weld specifications). T by diagonal brace	No . Picnic Table - Brown eature non-tip, non-trip, e side. Easy walk throu	walk through gh access. ¿\$ 18¿ nom. sea end frames (1. s are 2" x 2" x pe attached to	design. Skid¿ de at height 660" OI 10 ga. c	esign permits t. D, 11 ga. wal die-formed st	on ¿t tip even if all movement without damage I, 1-1/4" ID nom. pipe eel. Frames supported	67
Line: 5 It Required: Yes Description: Comments:	em ID: S Reserve Price: Recycled Plastic 8 ft - < <picnic all="" brace="" by="" carria<="" diagonal="" f="" frame:="" galvanized="" offe="" on="" persons="" picnic="" sit="" specifications).="" t="" tables="" td="" to="" turf.="" weld=""><td>No Picnic Table - Brown eature non-tip, non-trip, e side. Easy walk throuser 30¿ nom. table height; ed 1-5/8" OD steel pipe fop/seat mounting angleses of 1-5/16" OD steel pi</td><td>walk through gh access. ¿\$ 18¿ nom. sea end frames (1. s are 2" x 2" x pe attached to anted for life.</td><td>design. Skid¿ de at height 660" OI 10 ga. c steel co</td><td>esign permits t. D, 11 ga. wal die-formed st</td><td>on ¿t tip even if all movement without damage I, 1-1/4" ID nom. pipe eel. Frames supported</td><td>67</td></picnic>	No Picnic Table - Brown eature non-tip, non-trip, e side. Easy walk throuser 30¿ nom. table height; ed 1-5/8" OD steel pipe fop/seat mounting angleses of 1-5/16" OD steel pi	walk through gh access. ¿\$ 18¿ nom. sea end frames (1. s are 2" x 2" x pe attached to anted for life.	design. Skid¿ de at height 660" OI 10 ga. c steel co	esign permits t. D, 11 ga. wal die-formed st	on ¿t tip even if all movement without damage I, 1-1/4" ID nom. pipe eel. Frames supported	67
Line: 5 It Required: Yes Description: Comments:	em ID: S Reserve Price: Recycled Plastic 8 ft - < <pi>conic Tables f persons sit on on to turf. Picnic Tables offe FRAME: All weld specifications). T by diagonal brace galvanized carria</pi>	No Picnic Table - Brown eature non-tip, non-trip, e side. Easy walk throuser 30; nom. table height; ed 1-5/8" OD steel pipe of 500 of 1-5/16" OD steel pipe of 1-5/16" OD	walk through gh access. ¿\$ 18¿ nom. sea end frames (1. s are 2" x 2" x pe attached to anted for life.	design. Skid¿ de at height 660" OI 10 ga. c steel co	esign permits t. D, 11 ga. wal die-formed st enter channe	on¿t tip even if all movement without damage I, 1-1/4" ID nom. pipe eel. Frames supported il. All 3/8" dia.	67
Line: 5 It Required: Yes Description: Comments:	em ID: S Reserve Price: Recycled Plastic 8 ft - < <picnic all="" brace="" carriates="" diagonal="" finish:="" frame:="" galvanized="" of="" offer="" on="" persons="" picnic="" sit="" specifications).="" standard<="" tables="" td="" to="" toy="" turf.="" weld=""><td>No Picnic Table - Brown eature non-tip, non-trip, e side. Easy walk thrount 30; nom. table height; ed 1-5/8" OD steel pipe of op/seat mounting angles of 1-5/16" OD steel pige bolt fasteners. Warrad finish: hot dip galvanize</td><td>walk through gh access. ¿\$ 18 ¿ nom. sea end frames (1. s are 2" x 2" x pe attached to anted for life. ed after fabrica 100% Recycl</td><td>design. Skid¿ de at height 660" OI 10 ga. co steel co ation. ed Plas</td><td>esign permits t. D, 11 ga. wal die-formed st enter channe tic planks - C</td><td>on¿t tip even if all movement without damage I, 1-1/4" ID nom. pipe eel. Frames supported II. All 3/8" dia.</td><td>67</td></picnic>	No Picnic Table - Brown eature non-tip, non-trip, e side. Easy walk thrount 30; nom. table height; ed 1-5/8" OD steel pipe of op/seat mounting angles of 1-5/16" OD steel pige bolt fasteners. Warrad finish: hot dip galvanize	walk through gh access. ¿\$ 18 ¿ nom. sea end frames (1. s are 2" x 2" x pe attached to anted for life. ed after fabrica 100% Recycl	design. Skid¿ de at height 660" OI 10 ga. co steel co ation. ed Plas	esign permits t. D, 11 ga. wal die-formed st enter channe tic planks - C	on¿t tip even if all movement without damage I, 1-1/4" ID nom. pipe eel. Frames supported II. All 3/8" dia.	67
Line: 5 It Required: Yes Description: Comments:	em ID: S Reserve Price: Recycled Plastic 8 ft - < <pi>cinic Tables of to turf. Picnic Tables offer FRAME: All weld specifications). To by diagonal brace galvanized carriades FINISH: Standard TOP/SEAT MATE</pi>	No Picnic Table - Brown eature non-tip, non-trip, e side. Easy walk through and the side. Easy walk through and the side. Easy walk through and the side of 1-5/8" OD steel pipe of 1-5/16" OD steel pige bolt fasteners. Warrand finish: hot dip galvanize ERIALS: 2¿ x 10¿ (nom.)	walk through gh access. ¿\$ 18¿ nom. sea end frames (1. s are 2" x 2" x pe attached to anted for life. ed after fabrica 100% Recyclachor table to	design. Skid¿ de at height 660" OI 10 ga. co steel co ation. ed Plas	esign permits t. D, 11 ga. wal die-formed st enter channe tic planks - C	on¿t tip even if all movement without damage I, 1-1/4" ID nom. pipe eel. Frames supported II. All 3/8" dia.	67
Line: 5 It Required: Yes Description: Comments:	em ID: S Reserve Price: Recycled Plastic 8 ft - < <pi>cinic Tables of to turf. Picnic Tables offer FRAME: All weld specifications). To by diagonal brace galvanized carriades FINISH: Standard TOP/SEAT MATE</pi>	No Picnic Table - Brown eature non-tip, non-trip, e side. Easy walk throught 30; nom. table height; ed 1-5/8" OD steel pipe of op/seat mounting angles es of 1-5/16" OD steel pige bolt fasteners. Warrad finish: hot dip galvanized RIALS: 2; x 10; (nom.) and Anchor Straps to au UT-G-8P*Brown (PW) of side in the side of	walk through gh access. ¿\$ 18¿ nom. sea end frames (1. s are 2" x 2" x pe attached to anted for life. ed after fabrica 100% Recyclachor table to	design. Skid¿ de at height 660" OI 10 ga. co steel co ation. ed Plas	esign permits t. D, 11 ga. wal die-formed st enter channe tic planks - C ete surface a	on¿t tip even if all movement without damage I, 1-1/4" ID nom. pipe eel. Frames supported II. All 3/8" dia.	Response

Response Comments

PeopleSoft Strategic Sourcing Event ID Туре Page Format 32701-0000010455 **Event Round** Version **Event Name** CedarsOfLebanon-CampgroundFurnishings Finish Time **Start Time** 03/13/2018 10:29:11 CDT 03/27/2018 14:00:00 CDT

US Dollar **Event Currency:** Bids allowed in other currency: No

Bidder: **PUBLIC EVENT DETAILS**

Submit To: **Environment & Consv**

Call for Shipping Information

United States

Contact: Shane Gibson Phone: 615/253-4762

Shane.Gibson@tn.gov Email:

Line: 6 Item ID: Line Qty: 4.00 UOM: Each Bid Qty: 4 Required: Yes Reserve Price: No

Description: End Accessible Picnic Table - Using Recycled Plastic, 6 ft. Seats, 8 ft. Top, Color: Brown, 30¿ nom. table height (to top of table); 18¿ nom. seat height.

Comments:

<< End Accessible Picnic Tables feature non-tip, non-trip, walk through design. The table won t tip even if all persons sit on one side. Easy walk through access. ¿Skid; design permits movement without damage to turf. Table tops can be extended 2 ft. beyond the seats on one or both ends. The extended top is supported by a special diagonal brace and steel channel. This table configuration meets or exceeds current ADA guidelines for wheelchair access to picnic tables.

FRAME: All welded 1-5/8" OD steel pipe end frames (1.660" OD, 11 ga. wall, 1-1/4" ID nom. pipe specifications). Frames are supported by diagonal braces of 1-5/16" OD steel pipe attached to steel center channel. Extended top is supported by an additional diagonal brace and steel channel. All 3/8" dia. galvanized carriage bolt fasteners. Warranted for life.

TOP/SEAT MATERIALS: 2, X 10, (nom.) 100% Recycled Plastic planks in Brown.

Concrete screws and Anchor Straps to anchor table to concrete surface are to be included.>>

Pilot Rock Model UT::UT-G-6P*/E Brown (PW) or equal

Question	UOM	Best	Worst	Response
What is the unit price of this item?				
Required: Yes Mandatory Response: No				
Response Comments				

Bid Qty: Line: 7 Item ID: Line Qty: 2.00 UOM: Each Required: Yes Reserve Price: No

Description: Vertical Bike Rack - D-Shaped End Frame With Single Side Parking Comments:

<<Bike Rack offers tall vertical stalls which hold the front or back bike tire securely. These versatile bike racks will hold all types of bikes ¿ small to tall frames with skinny to fat tires. Most locking devices can be used.

The D-shaped end frames and the cross tube structures are fabricated using 1.66 OD x 10 ga. wall steel tube. Vertical stall bars are 5/8; OD solid steel bar (not hollow tube). All welded component fabrication.

Bike Rack offers single-sided parking for up to 5 bikes. It has two end frames and one stall section. Dimensions: 76" long x 23" wide x 33" high.

Powder coated paint finish in Green.>>

Pilot Rock Model BR-205SS-/C* Green (N) or equal

PeopleSoft Strategic Sourcing

Event Currency: US Dollar **Bids allowed in other currency:** No

Bidder: PUBLIC EVENT DETAILS

Submit To: Environment & Consv

Call for Shipping Information

United States

Contact: Shane Gibson 615/253-4762

Email: Shane.Gibson@tn.gov

Question	UOM	Best	Worst	Response
What is the unit price of this item?				
Required: Yes Mandatory Response: No				
Response Comments				

Line: 8 Item ID: Line Qty: 67.00 UOM: Each Bid Qty: 67

Required: Yes Reserve Price: No

Description: Stainless Steel Campfire Ring

Comments:

 - <<Campfire Ring is rolled using 11 ga. (1/8¿ thick) stainless steel with a 1¿ roll formed top flange for additional strength and safety. Draft holes are provided for ventilation. The ring is not painted.

Stainless steel campfire ring side height of 16-3/4"

Standard: 300 sq. inch single level swivel cooking grate, will move 180 degrees ¿ from over the fire to completely out of the firering ¿ for easy fire building and serving. The handle is never over the fire.

Swivel cooking grate is a single welded component using ½-inch dia. black steel bars, mounted on a 2-3/8-inch OD steel tube allowing it to swivel 180 degrees. Operator handle includes a 1/8-in. x ½-in. flat bar coiled spring grip. All grate bars are welded on both sides. Cooking grate components are finished with high temp non toxic black enamel paint.

Three black steel bolt on angle spade anchors to secure ring on site, buried in ground (ring does not tip up) are included.

Pilot Rock Model FSWS-30-/18-/AL or Equal>><< Campfire Ring is rolled using 11 ga. (1/8¿ thick) stainless steel with a 1¿ roll formed top flange for additional strength and safety. Draft holes are provided for ventilation. The ring is not painted.

Stainless steel campfire ring side height of 16-3/4"

Standard: 300 sq. inch single level swivel cooking grate, will move 180 degrees ¿ from over the fire to completely out of the firering ¿ for easy fire building and serving. The handle is never over the fire.

Swivel cooking grate is a single welded component using ½-inch dia. black steel bars, mounted on a 2-3/8-inch OD steel tube allowing it to swivel 180 degrees. Operator handle includes a 1/8-in. x ½-in. flat bar coiled spring grip. All grate bars are welded on both sides. Cooking grate components are finished with high temp non toxic black enamel paint.

Three black steel bolt on angle spade anchors to secure ring on site, buried in ground (ring does not tip up) are included.

Pilot Rock Model FSWS-30-/18-/AL or Equal

PeopleSoft Strategic Sourcing

i copicooni ona	legie eeu	lonig	
Event ID	Format	Туре	Page
32701-0000010455	Sell	RFx	10
Event Round	Version		
1	1		
Event Name			
CedarsOfLebanon-Ca	mpgroundFur	nishings	
Start Time		Finish Time	
03/13/2018 10:29:1	1 CDT	03/27/2018 14:00:00 CT	ıт

Event Currency: US Dollar Bids allowed in other currency: No

Bidder: PUBLIC EVENT DETAILS

Submit To: Environment & Consv

Call for Shipping Information

United States

Contact: Shane Gibson 615/253-4762

Email: Shane.Gibson@tn.gov

Question	UOM	Best	Worst	Response
What is the unit price of this item?				-
Required: Yes Mandatory Response: No				
Response Comments				

Line: 9 Item ID: Line Qty: 4.00 UOM: Each Bid Qty: 4
Required: Yes Reserve Price: No

Description: Accessible Grill

Comments:

- <<Charcoal Grill offers 360 sq. inches of cooking area on the single level swivel grate. The
cooking grate swivels 180 degrees ¿ over the charcoals or completely out of the firebox ¿ but the
grate handle is never over the heat.

The cooking grate on this grill requires less than 5 lbs. of force to move, and requires only one hand to operate (ADA-ABA 309.4: Draft Final-Outdoor 1011.3). The cooking surface is less than 34¿ high (ADA-ABA 902.3; Draft Final-Outdoor 1011.5).

The grill firebox can also rotate 360 degrees in either direction on a theft proof swivel attachment. Standard 3-1/2¿ OD x 40¿ long base post for embedded installation (B2).

The firebox is 6¿ high on the swivel side, and 10¿ high on the other side to provide wind protection above the cooking grate.

This charcoal grill includes all welded firebox construction: 3/16¿ (7 ga.) thick steel, plus integral die-formed flanges to retain ashes and reinforce the firebox from heat.

Plus all welded cooking grate fabrication: $\frac{1}{2}$ diameter solid steel bars, mounted on steel tube allowing it to swivel 180 degrees. The operator handle includes a $\frac{1}{8}$ x $\frac{1}{2}$ flat bar coiled spring grip. All grate bars are welded on both sides.

All components of this charcoal grill are finished with high temp, non toxic black enamel paint.

Grill will have a surface mount/bolt-down base post with concrete anchor bolts included.

Grill will include a 8" x 16" swivel shelf.

Pilot Rock Model ASW-24-S6-B18>><<Charcoal Grill offers 360 sq. inches of cooking area on the single level swivel grate. The cooking grate swivels 180 degrees ¿ over the charcoals or completely out of the firebox ¿ but the grate handle is never over the heat.

The cooking grate on this grill requires less than 5 lbs. of force to move, and requires only one hand to operate (ADA-ABA 309.4: Draft Final-Outdoor 1011.3). The cooking surface is less than 34¿ high (ADA-ABA 902.3; Draft Final-Outdoor 1011.5).

The grill firebox can also rotate 360 degrees in either direction on a theft proof swivel attachment. Standard 3-1/2¿ OD x 40¿ long base post for embedded installation (B2).

The firebox is 6¿ high on the swivel side, and 10¿ high on the other side to provide wind protection above the cooking grate.

PanlaSoft Stratogic Sourcing

reopiesoni sira	legic Sou	ırcıng	
Event ID	Format	Туре	Page
32701-0000010455	Sell	RFx	11
Event Round	Version		
1	1		
Event Name			
CedarsOfLebanon-Ca	mpgroundFur	rnishings	
Start Time		Finish Time	
03/13/2018 10:29:1	1 CDT	03/27/2018 14:00:00 CDT	

Event Currency: US **Bids allowed in other currency:** No **US** Dollar Bidder: **PUBLIC EVENT DETAILS**

Submit To: **Environment & Consv**

Call for Shipping Information United States

Contact: Shane Gibson 615/253-4762 Phone:

Shane.Gibson@tn.gov Email:

This charcoal grill includes all welded firebox construction: 3/16¿ (7 ga.) thick steel, plus integral die-formed flanges to retain ashes and reinforce the firebox from heat.

Plus all welded cooking grate fabrication: % diameter solid steel bars, mounted on steel tube allowing it to swivel 180 degrees. The operator handle includes a 1/8 % x % flat bar coiled spring grip. All grate bars are welded on both sides.

All components of this charcoal grill are finished with high temp, non toxic black enamel paint.

Grill will have a surface mount/bolt-down base post with concrete anchor bolts included.

Grill will include a 8" x 16" swivel shelf.

Pilot Rock Model ASW-24-S6-B18 or equal

PeopleSoft Strategic Sourcing
Event ID Format

Type Page 32701-0000010455 Event Round RFx Version **Event Name** CedarsOfLebanon-CampgroundFurnishings Start Time Finish Time

03/27/2018 14:00:00 CDT

Event Currency: US **Bids allowed in other currency:** No **US** Dollar

03/13/2018 10:29:11 CDT

Bidder: **PUBLIC EVENT DETAILS**

Submit To:

Environment & Consv Call for Shipping Information United States

Contact: Shane Gibson Phone: 615/253-4762

Shane.Gibson@tn.gov Email:

Bidder Information		
Firm Name:		
Name:	Signature:	Date:
Phone #:	Fax #:	
Street Address:		
City & State:	Zip Code:	
Email:		

PeopleSoft Strategic Sourcing

Event Currency: US Dollar **Bids allowed in other currency:** No

Bidder: PUBLIC EVENT DETAILS

Submit To: Environment & Consv

Call for Shipping Information

United States

Contact: Shane Gibson 615/253-4762

Email: Shane.Gibson@tn.gov

Appendix A - Line Specifications

Line: 1 Item ID: Line Qty: 8 UOM: Each

Description: 6' Park Bench With Back

Item Specifications

Manufacturer:
Mfg Item ID:
Item Length: 0
Item Width: 0
Item Volume: 0
Item Weight: 0

Item Height: 0
Dimension UOM:
Volume UOM:
Weight UOM:
Item Color:

Shipping Information

Item Size:

Schedule: 1 Quantity: 8 Due Date: 04/0

Due Date: 04/01/2018

Freight Terms:

Ship Via: Best Option Available

Ship To: CEDARS OF LEBANON ST PK

328 CEDAR FORREST ROAD LEBANON TN 37090

United States

Line: 2 Item ID: Line Qty: 67 UOM: Each

Description: Stainless Steel Charcoal Grill

Item Specifications

Manufacturer:
Mfg Item ID:
Item Length:
Item Width:
Item Volume:

Item Width:0Item Volume:0Item Weight:0Item Size:

Item Height: 0
Dimension UOM:
Volume UOM:
Weight UOM:

Item Color:

Shipping Information

 Schedule:
 1

 Quantity:
 67

 Due Date:
 04/01/2018

Freight Terms:

Ship Via: Best Option Available

Ship To: CEDARS OF LEBANON ST PK

328 CEDAR FORREST ROAD

LEBANON TN 37090

United States

Line: 3 Item ID: Line Qty: 4 UOM: Each

Description: Accessible Stainless Steel Campfire Rings

PeopleSoft Strategic Sourcing

Event Currency: US Dollar

Bids allowed in other currency: No

Bidder: PUBLIC EVENT DETAILS

Submit To: Environment & Consv

Call for Shipping Information

United States

Contact: Shane Gibson 615/253-4762

Email: Shane.Gibson@tn.gov

Item Specifications

Manufacturer: Mfg Item ID: Item Length:

Item Length: 0
Item Width: 0
Item Volume: 0
Item Weight: 0
Item Size:

Item Height: 0
Dimension UOM:
Volume UOM:
Weight UOM:
Item Color:

Shipping Information

Schedule: 1 Quantity: 4

Due Date: 04/01/2018

Freight Terms:

Ship Via: Best Option Available

0

Ship To: CEDARS OF LEBANON ST PK

328 CEDAR FORREST ROAD

LEBANON TN 37090 United States

Line: 4 Item ID: Line Qty: 30 UOM: Each

scription: LANTERN HOLDER WITH 90 DEGREÉ ARM, POWDER COATED, BROWN, WITH WELDED-ON ACESSIBLE ARM

Item Specifications

Manufacturer: Mfg Item ID: Item Length:

Item Width:0Item Volume:0Item Weight:0Item Size:

Item Height: 0
Dimension UOM:
Volume UOM:
Weight UOM:
Item Color:

Shipping Information

Schedule: 1 Quantity: 30

Due Date: 04/01/2018

Freight Terms:

Ship Via: Best Option Available

Ship To: CEDARS OF LEBANON ST PK

328 CEDAR FORREST ROAD

LEBANON TN 37090

United States

Line: 5 Item ID: Line Qty: 67 UOM: Each

Description: Recycled Plastic 8 ft. Picnic Table - Brown

Item Specifications

Manufacturer: Mfg Item ID:

Item Length: 0
Item Width: 0
Item Volume: 0
Item Weight: 0
Item Size:

Item Height: 0
Dimension UOM:
Volume UOM:
Weight UOM:
Item Color:

PeopleSoft Strategic Sourcing

i copicooli oli a	legie eeu	nong	
Event ID	Format	Туре	Page
32701-0000010455	Sell	RFx	15
Event Round	Version		
1	1		
Event Name			
CedarsOfLebanon-Ca	mpgroundFur	rnishings	
Start Time		Finish Time	
03/13/2018 10:29:1	1 CDT	03/27/2018 14:00:00 CDT	

US Dollar **Event Currency:**

Bids allowed in other currency: No

Bidder: **PUBLIC EVENT DETAILS**

Submit To: **Environment & Consv**

Call for Shipping Information

United States

Contact: Shane Gibson 615/253-4762 Phone:

Shane.Gibson@tn.gov Email:

Shipping Information

Schedule: Quantity: 67 Due Date: 04/01/2018

Freight Terms:

Ship Via:

Best Option Available

Ship To:

CEDARS OF LEBANON ST PK 328 CEDAR FORREST ROAD

LEBANON TN 37090 **United States**

Line Qty: Line: 6 Item ID: UOM: Each End Accessible Picnic Table - Using Recycled Plastic, 6 ft. Seats, 8 ft. Top, Color: Brown, 30¿, nom. table height Description:

4

(to top of table); 18¿ nom. seat height.

0

Item Specifications

Manufacturer: Mfg Item ID: Item Length:

Item Width: 0 Item Volume: 0 Item Weight: Item Size:

Item Height: **Dimension UOM:** Volume UOM: Weight UOM: Item Color:

Shipping Information

Schedule: Quantity:

Due Date: 04/01/2018

Freight Terms:

Ship Via: Best Option Available Ship To:

CEDARS OF LEBANON ST PK 328 CEDAR FORREST ROAD

LEBANON TN 37090

United States

Line: 7 Line Qty: 2 UOM: Each Vertical Bike Rack - D-Shaped End Frame With Single Side Parking

Item Specifications

Manufacturer: Mfg Item ID:

Item Length: 0 Item Width: 0 Item Volume: 0 Item Weight: Item Size:

Item Height: Dimension UOM: Volume UOM: Weight UOM: Item Color:

PeopleSoft Strategic Sourcing

Event Currency: US Dollar

Bids allowed in other currency: No

Bidder: PUBLIC EVENT DETAILS

Submit To: Environment & Consv

Call for Shipping Information

United States

Contact: Shane Gibson 615/253-4762

Email: Shane.Gibson@tn.gov

Schedule: 1 Ship To: CEDARS OF LEBANON ST PK

Shippinagtityformation 328 CEDAR FORREST ROAD

Due Date: 04/01/2018 LEBANON TN 37090

Freight Terms: United States

Ship Via: Best Option Available

Line: 8 Item ID: Line Qty: 67 UOM: Each

Description: Stainless Steel Campfire Ring

Item Specifications

Manufacturer:
Mfg Item ID:
Item Length: 0
Item Width: 0
Item Volume: 0
Item Weight: 0

Item Height: 0
Dimension UOM:
Volume UOM:
Weight UOM:
Item Color:

Shipping Information

Item Size:

 Schedule:
 1

 Quantity:
 67

 Due Date:
 04/01/2018

Freight Terms:

Ship Via: Best Option Available

Ship To: CEDARS OF LEBANON ST PK

328 CEDAR FORREST ROAD LEBANON TN 37090

United States

Line: 9 Item ID: Line Qty: 4 UOM: Each

Description: Accessible Grill

Item Specifications

Manufacturer: Mfg Item ID: Item Length:

Item Length: 0
Item Width: 0
Item Volume: 0
Item Weight: 0
Item Size:

Item Height: 0 Dimension UOM: Volume UOM: Weight UOM: Item Color:

Shipping Information

 Schedule:
 1

 Quantity:
 4

 Due Date:
 04/01/2018

Freight Terms: 04/

Ship Via: Best Option Available

Ship To: CEDARS OF LEBANON ST PK

328 CEDAR FORREST ROAD

LEBANON TN 37090

United States

PeopleSoft Strategic Sourcing

i oopioooit ona	logio oca	. ວ	
Event ID	Format	Type	Page
32701-0000010455	Sell	RFx	17
Event Round	Version		
1	1		
Event Name			
CedarsOfLebanon-Ca	mpgroundFur	nishings	
Start Time		Finish Time	
03/13/2018 10:29:1	1 CDT	03/27/2018 14:00:00 CDT	

Event Currency: US Dollar

Bids allowed in other currency: No

Bidder: PUBLIC EVENT DETAILS

Submit To: Environment & Consv

Call for Shipping Information

United States

Contact: Shane Gibson 615/253-4762

Email: Shane.Gibson@tn.gov

Appendix B - Terms & Conditions

- The undersigned acknowledges that all submitted information and documentation will become the property of the state of Tennessee. The undersigned also affirms that the information given above is true, accurate, and includes pertinent information necessary to identify and explain the operation of this organization to the best of my knowledge and is in no way misleading.
- 2. Should any data change in the future, the Supplier agrees to immediately submit the correct information electronically through the State's Supplier Portal. If the information will be submitted in writing please mail to the following address: Department of Finance and Administration 312 Rosa L. Parks Ave. 21st Floor Tennessee Tower ATTN: Supplier Maintenance Nashville, TN 37243
- 3. No person on the grounds of handicap or disability, age, race, color, religion, sex, national origin, creed, or any other classification protected by Federal and/or Tennessee State constitutional and/or statutory law shall be excluded from participation in, or denied benefits of, or be otherwise subjected to discrimination in the performance of the Contract or in the employment practices of the Contractor. The Contractor shall, upon request, show proof of such non-discrimination, and shall post in conspicuous places, available to employees and applicants, notices of non-discrimination.

Last Updated: 08/30/2016